

# FinishPro™

Electric Air-Assisted Airless Sprayer with On-Board Air Compressor



## PROFESSIONAL ADVANTAGES

- 2 in 1  
Combine the advantages of Air-Assisted Airless and Airless spraying with one unit  
Top finishing at high speed, without dilution of fine finish materials
- On-board compressor  
Design optimised to the needs of the sprayer  
Provides high output in compact size
- Compact sprayer design  
More flexibility saving set-up and transport time

Fine Finish Applications

FinishPro™ 290 - FinishPro™ 390 - FinishPro™ 395



# FinishPro™

Top finishing at airless speed!

The FinishPro offers a high-quality finish at a high production rate. The FinishPro 290 fits perfectly as a professional fine finish unit whereas the FinishPro 390/395 handles the most challenging materials.

### Just "Plug and Spray"

With its on-board compressor, the FinishPro is a ready-to-go electric powered air-assisted sprayer. You are no longer restrained to plan your spraying at a fixed booth location.

### 2 in 1 "Airless pump and compressor"

- Being self-contained, the FinishPro is only one machine: no extra compressor to consider, saving space, set-up time and transport
- The ideal multi-function sprayer for intensive fine finish work

### More speed?

With the flip of one switch, the finisher turns into a regular airless sprayer

### Tough coatings?

With its piston pump and high pressure ability, waterbornes are no problem.



The G40 (FP390/395) Gun a 'standard' in it's market segment, has an ultra light trigger pull with additional air fan regulation. The very light AA30 gun, with large contractor filter and quick air shut-off valve comes standard with the FinishPro 290.



### On-Board Air Compressor

Graco designed and manufactured. Provides high output in a compact design. Delivers up to 2 l/min at 2.5 bar (FinishPro 395). Enough air to break up the heaviest materials supplied by the field proven Endurance™ pump. No external compressor needed, saving place, labour and time.



### Single Selector Switch

Simple colour-coded labels easily identify air-assisted airless or airless mode. One „click“ and off you go.



### Pump - Graco's Proven Piston Pump

The pump is the most important component of the sprayer and is where Graco's expertise shows. All FinishPro air-assisted airless sprayers come with piston pumps for unmatched performance. The FinishPro 390 and FinishPro 395 come with Endurance™ pumps which have V-Max™ blue packings and Chromex™ rods – for extended life.

### Piston pump benefits:

Allows consistent priming and pumping of even the heaviest materials – without thinning. QuikAccess™ intake valve makes cleaning or clearing debris easy.



FinishPro™ 395 - FinishPro™ 390 - FinishPro™ 290

## Materials & Applications

The FinishPro™ is the ideal unit for larger fine finish jobs.

The FinishPro™ has been tested and approved to spray a wide range of lacquers, acrylic, primers, enamels, varnishes and acrylic interior paints, out of the bucket.

The ideal unit for renovation of cabinets, lighting features, shutters, fences, trims, stairs, staircases, or for painting doors, walls, decks and ceilings.



**Large Contractor sized Filter**  
Fine mesh filter results in a superior finish. Large size for extended spraying.

**Fluid Swivel**  
Built-in in handle

**Optimized Air Cap**  
Air passages adapted to the tip to deliver air closer to the tip, result in a softer, more consistent pattern from start to finish.

**Quick Air Shut Off Valve**  
Allows user to quickly and easily shut off the air to the air cap while retaining the air valve setting

**Air Adjustment Valve**  
Conveniently located at the gun

### Adapt the tip to the job

For AIRLESS spraying, Graco developed the breakthrough RAC X, reversible tip option. Unclog your tip with a simple twist of the tip. No longer dismantle your tip for cleaning. Install a green tip with dual orifice for airless spraying of lacquers. Select a blue tip for airless spraying of paints.

Spraying AIR-ASSISTED AIRLESS, the AAM flat tip delivers optimal performance. Use air-assisted airless technology for spraying lacquers and the finish of your sprayed surface will look perfect.



RAC X™




AAM

[www.graco.be](http://www.graco.be)

### Graco's Exclusive Air Cap Design

This revolutionary air cap has been optimized for use with reversible spray tips and with flat tips as well. It's air passages are positioned at precise locations to bring the air closer to the tip. Graco's design delivers a soft and consistent spray fan from start to finish.



## GOOD TO KNOW

### AIR-ASSISTED AIRLESS VERSUS AIRLESS

#### AIR-ASSISTED AIRLESS

When spraying air-assisted airless, material is delivered to the gun at pressure lower than traditional airless (50-110 bar) and is partially atomised by the tip. Full atomisation is achieved by adding a small amount of air to the edges of the spray fan.

#### BENEFIT

Air-assisted airless spraying results in a softer pattern, more control, higher efficiency and ... less overspray, almost at speed of an airless unit.



#### AIRLESS

When spraying airless, fluid gets transferred from your paint bucket to the gun, simply by putting the paint under pressure (160-230 bar), using an airless pump.

#### BENEFIT

Airless spraying is fast and paints can be sprayed without thinning.

#### ! TIP

Use airless technology for a very fast professional finish. If a top finish quality of superior level is required, use air-assisted airless technology.





# FinishPro™ Accessories

Get the most out of your equipment, using our professional accessories

## Improve your finishing quality

### Guns



257380 AA30™ Gun, AAM309 tip and guard, 100 mesh gun filter, air adjustment valve



257096 AA30 gun, air-assisted airless gun, RAC X FFT210 SwitchTip, 100 mesh gun filter, air adjustment valve

289604 G40™, Green FFA210 RAC X™ tip and guard, 100 mesh tip filter, fan adjustment

### Gun Filters + Strainers



218131 AA30 gun filter, blue, 50 mesh  
218133 AA30 gun filter, orange, 100 mesh  
256975 AA30 gun filter, red, 150 mesh  
224454 G40 gun filter, 60 mesh (5-pack)  
224453 G40 gun filter, 100 mesh (5-pack)

FinishPro 290 Easy Out Manifold Filter:


257094 40 mesh

FinishPro 390/395 Easy Out Manifold Filter:

246384 Black, 60 mesh

246382 Bleu, 100 mesh

246383 Red, 200 mesh



FinishPro 390/395:

246385 Pump inlet strainer

### Hoses - FinishPro 290



FlexPro, strapped hose, BlueMax II 3/16" x 7.5 m airless hose + 3/8" x 7.5 m air hose

256976 to replace standard hose

257520 to extend standard hose

### Hoses - FinishPro 390/395



288621 FlexPro, welded hose, BlueMax II 3/16" x 7.5 m airless hose + 3/8" x 7.5 m air hose

288620 FlexPro, welded Hose, BlueMax II 3/16" x 15 m airless hose + 3/8" x 15 m air hose



### Hoppers 5.7 liter

24B250 Hopper assembly - FinishPro 290

288526 Hopper Assembly - FinishPro 390/395

### Tips & Guards



FFAXXX Green RAC X™ fine finish tip

PAAXXX Blue RAC X™ professional airless tip

AAMXXX Flat AA tip with SST body

288839 RAC X air cap (AA30 & G40 gun)

288514 Flat tip conversion kit - G40 Gun

249256 Guard for AAM flat tip (AA30 & G40 gun)

249180 Air cap for AAM flat tip (AA30 & G40 gun)

257521 RAC X conversion kit - AA30 gun

288465 8 holes AAA guard for RAC X reversible tips

248936 RAC X solvent tip, gasket (orange) x 5

15A981 RAC X seat

162863 Thick tip gasket

223373 Thin tip gasket (25 x 166969)

223374 Thick tip gasket (25 x 162863)



### Cleaning and maintenance



289535 Water separator kit -

Use on FinishPro 390/395 air line



119799 Cleaning brush



289108 Severe solvents suction set -

Use on FinishPro 395



257164 Air pressure control kit - FinishPro 290

Looking for more detailed info? See our Airless Accessories brochure 300672

## FinishPro™

READY TO SPRAY, the FinishPro™ ships with:

- On-board compressor (0.745 kW)
- Air-Assisted Airless gun, including air cap
- Bonded hose 7.5 meter (3/16" fluid and 3/8" air) with connections
- Tips & Guards:  
FinishPro 390/395: green FFA210 RAC X tips and guard, flat tip conversion kit with AAM309 tip and guard  
FinishPro 290: AAM309 flat tip and guard
- Standard set-up tools

Details see table

Find this unit at:

## Specifications



	for Euro version - 220 V	FinishPro™ 290	FinishPro™ 390	FinishPro™ 395
Part Numbers:		256843* - 257411**	255110***	255111*
	for Multi Cord version	256844* - 257412**	255112***	255113*
	for UK - 110 V	256845* - 257413**	255114***	255115*
Max. Tip Size		0.017" (0.017")	0.021" (0.019")	0.023" (0.021")
Max. Fluid Flow - l/min. (gpm)		1.3 - (0.43)	1.8 - (0.43)	2.0 - (0.47)
Max. Pressure - bar (PSI)		180 - (2600)	225 - (3300)	225 - (3300)
Weight kg (lb)		30 (68)	43 (72)	45 (78)
DC Motor - W		400	460	650
Atomizing Air Output - l/min. (cfm)		90 (2.9)	90 (2.9)	90 (2.9)
Max. Air Working Pressure - bar (PSI)		2.4 (35)	2.4 (35)	2.4 (35)
Gun		AA30	G40	G40
Control		mechanical	mechanical	digital
Air Regulation		gun	gun	gun & unit
Whip Hose		yes	yes (coiled)	yes (coiled)

\* Hi-Boy version, \*\* Compact version, \*\*\* Lo-Boy version